



ऊर्जा दक्षता ब्यूरो

(भारत सरकार, विद्युत मंत्रालय)

BUREAU OF ENERGY EFFICIENCY

(Government of India, Ministry of Power)

No:- BEE/S&L/PEP/SP01/0195/16/1045

Date: 16.05.2016

To,

MR DIPAKBHAI VALJIBHAI RAMANI (PROPRIETOR)

Penguin Pumps

#4 SAMRAT INDUSTRIAL AREA, BEHIND BAN LAB, GONDAL ROAD, RAJKOT-360004, GUJARAT

Rajkot

Gujarat

RAJKOT -360004

Mobile No - 9374123388

Phone No - 0281- 2363838

Email : info@penguinpumps.in

**Subject :- Bureau Of Energy Efficiency Voluntary Scheme for Energy Efficiency labelling ,May 2006.,  
Authorization To use The Label.**

Dear Sir,

1. With Reference to your application received to BEE Office for participation in Bureau Of Energy Efficiency Voluntary Scheme For energy efficiency Labelling May 2006 scheme. The Bureau here by authorizes you to use the BEE Label strictly in accordance with the provision of scheme subject to time payment of prescribed fees. The competent authority has authorized usage of label from **29 April 2016** . The permission shall be valid from **29 April 2016 to 28 April 2019**.

2. This authorization carries the rights and obligations stipulated in the scheme. In pursuance of obligation, you shall pay in due manner and time the scheduled labelling fee as set out in the scheme. The Bureau shall at any time During the operation of the scheme ,decide to mean , revise ,modify or terminate the scheme by giving three month prior notice and you will be bound to comply with such amendment ,revision ,modification within such period , as may be prescribed by the Bureau.

3. During the tenure of scheme, for particular model / equipment, if there are any changes in energy efficiency of such model / equipment or any other information specified on the label, then you will be bound to submit a fresh application, which application shall be freshly processed and approved, if deemed Fit, in accordance with provisions of the scheme.

4. The Star Label declared by you for the following Models of **Submersible Pump Set** given as under would be check tested by BEE from time to time.

User of label : Penguin Pumps  
Equipment : Submersible Pump Set  
Brand / Make : PENGUIN

स्वहित एवं राष्ट्रहित में ऊर्जा बचाएँ

Save Energy for Benefit of Self and Nation

12-05-2016 15:04:48


Sl. No	Application No	Model No.	Type	Motor Rating (Kw)	No of Stages	Head (meters)	Discharge (lps)	Declared Overall Efficiency (%)	Recommended Star Label
1	64501	PP5-3035	Wet Type	2.2	35	128	0.67	26	5
2	64500	PP5-3030	Wet Type	2.2	30	114	0.95	28	5
3	64499	PP5-3025	Wet Type	2.2	25	95	1.40	31	5
4	64498	PP5-3020	Wet Type	2.2	20	76	1.40	31	5
5	64497	PP5-3015	Wet Type	2.2	15	57	2.10	35	5
6	64496	PP5-3012	Wet Type	2.2	12	46	2.30	35	5
7	64495	PS5-3010	Wet Type	2.2	10	32	3.40	34.60	3
8	64494	PS5-3007	Wet Type	2.2	7	23	3.90	35.20	3
9	64493	PP5-2035	Wet Type	1.5	35	132	0.50	24	5
10	64492	PP5-2028	Wet Type	1.5	28	103	0.67	24	5
11	64491	PP5-2024	Wet Type	1.5	24	92	0.67	25	5
12	64490	PP5-2020	Wet Type	1.5	20	76	0.95	26	5
13	64489	PP5-2015	Wet Type	1.5	15	57	1.40	29	5
14	64488	PP5-2012	Wet Type	1.5	12	46	2.10	32	5
15	64487	PP5-2010	Wet Type	1.5	10	40	2.30	33	5
16	64486	PS5-2007	Wet Type	1.5	7	23	3.40	33.60	4
17	64485	PP5-1524	Wet Type	1.1	24	90	0.50	23	5
18	64484	PP5-1521	Wet Type	1.1	21	80	0.67	23	5
19	64482	PP5-1515	Wet Type	1.1	15	57	0.95	26	5
20	64480	PP5-1512	Wet Type	1.1	12	46	1.40	28	5
21	64478	PP5-1510	Wet Type	1.1	10	38	1.40	28.00	5
22	64477	PP5-1508	Wet Type	1.1	8	31	2.10	32	5
23	64476	PP5-1018	Wet Type	0.75	18	68	0.50	21	5
24	64475	PP5-1015	Wet Type	0.75	15	57	0.70	22	5
25	64474	PP5-1012	Wet Type	0.75	12	46	0.95	25	5
26	64473	PP5-1010	Wet Type	0.75	10	38	0.95	25	5
27	64472	PP5-7512	Wet Type	0.55	12	45	0.70	21	5
28	64471	PP5-7508	Wet Type	0.55	8	31	0.95	21	5
29	64470	PP5-0510	Wet Type	0.37	10	38	0.50	18	5
30	64467	PP5-0507	Wet Type	0.37	7	26	0.75	19	5

5. The unique label series code allotted to you for the equipment is BEE/PEP/0195/10 and should appear on the label as per the approved design.

6. You shall be solely liable for ensuring:

- (i) The accuracy of the information displayed on the label or any public claim for label level and quality of equipment.
- (ii) Usage of the label only for such equipment models for which the agreement has been entered with the Bureau.
- (iii) The model approved herein above cannot be sold without BEE label in the market.
- (iv) Strict compliance with Terms & conditions of scheme.
- (v) Strict compliances with the directions issued by the Bureau on implementation of the Scheme.
- (vi) Payment of any compensation adjudicated by any court tribunal to any person for any information displayed on the label.

Yours faithfully,

 16/5/16  
सौर **Energy Economist** RIDDI  
ऊर्जा अर्थशास्त्री/Energy Economist  
ऊर्जा दशला ब्यूरो  
Bureau of Energy Efficiency  
नई दिल्ली/New Delhi-110066



ऊर्जा दक्षता ब्यूरो

( भारत सरकार, विद्युत मंत्रालय )

**BUREAU OF ENERGY EFFICIENCY**

( Government of India, Ministry of Power )

No:- BEE/S&L/PEP/SP01/0195/15/901

Date: 14.05.2015

To,

MR DIPAKBHAI VALJIBHAI RAMANI (PROPRIETOR)

Penguin Pumps

#4 SAMRAT INDUSTRIAL AREA, BEHIND BAN LAB, GONDAL ROAD, RAJKOT-360004, GUJARAT

Rajkot

Gujarat

RAJKOT -360004

Mobile No - 9374123388

Phone No - 0281- 2363838

Email : info@penguinpumps.in

**Subject :- Bureau Of Energy Efficiency Voluntary Scheme for Energy Efficiency labelling ,May 2006.,**

**Authorization To use The Label.**

Dear Sir,

1. With Reference to your application received to BEE Office for participation in Bureau Of Energy Efficiency Voluntary Scheme For energy efficiency Labelling May 2006 scheme. The Bureau here by authorizes you to use the BEE Label strictly in accordance with the provision of scheme subject to time payment of prescribed fees. The competent authority has authorized usage of label from **07 May 2015** . The permission shall be valid from **07 May 2015** to **06 May 2018**.

2. This authorization carries the rights and obligations stipulated in the scheme. In pursuance of obligation, you shall pay in due manner and time the scheduled labelling fee as set out in the scheme. The Bureau shall at any time During the operation of the scheme ,decide to mean , revise ,modify or terminate the scheme by giving three month prior notice and you will be bound to comply with such amendment ,revision ,modification within such period , as may be prescribed by the Bureau.

3. During the tenure of scheme, for particular model / equipment, if there are any changes in energy efficiency of such model / equipment or any other information specified on the label, then you will be bound to submit a fresh application, which application shall be freshly processed and approved, if deemed Fit, in accordance with provisions of the scheme.

4. The Star Label declared by you for the following Models of **Submersible Pump Set** given as under would be check tested by BEE from time to time.

User of label : Penguin Pumps  
Equipment : Submersible Pump Set  
Brand / Make : PENGUIN

स्वहित एवं राष्ट्रहित में ऊर्जा बचाएँ Save Energy for Benefit of Self and Nation

Sl. No	Application No	Model No.	Type	Motor Rating (Kw)	No of Stages	Head (meters)	Discharge (lps)	Declared Overall Efficiency (%)	Recommended Star Label
1	50991	PT-1510	Wet Type	1.1	10	40	1.4	31.0	5
2	50988	PT-5045	Wet Type	3.7	45	170	0.95	31.50	5
3	50987	PT-5030	Wet Type	3.7	30	115	1.4	35.5	5
4	50986	PT-5020	Wet Type	3.7	20	79	2.3	39.2	5
5	50985	PT-3030	Wet Type	2.2	30	114	0.95	31	5
6	50984	PT-3025	Wet Type	2.2	25	94	1.4	34.8	5
7	50983	PT-3020	Wet Type	2.2	20	77	1.4	34.80	5
8	50981	PT-3012	Wet Type	2.2	12	47	2.3	38.60	5
9	50979	PT-2020	Wet Type	1.5	20	77	0.95	30	5
10	50977	PT-2015	Wet Type	1.5	15	58	1.4	34	5
11	50975	PT-2012	Wet Type	1.5	12	52	1.95	37	5
12	50962	PT-1515	Wet Type	1.1	15	58	0.95	28	5
13	50960	PT-5025	Wet Type	3.7	25	107	1.95	38.50	5
14	50959	PT-3015	Wet Type	2.2	15	65	1.95	38	5
15	50958	PT-2010	Wet Type	1.5	10	44	1.95	37	5

5. The unique label series code allotted to you for the equipment is BEE/PEP/0195/10 and should appear on the label as per the approved design.

6. You shall be solely liable for ensuring:

- (i) The accuracy of the information displayed on the label or any public claim for label level and quality of equipment.
- (ii) Usage of the label only for such equipment models for which the agreement has been entered with the Bureau.
- (iii) The model approved herein above cannot be sold without BEE label in the market.
- (iv) Strict compliance with Terms & conditions of scheme.
- (v) Strict compliances with the directions issued by the Bureau on implementation of the Scheme.
- (vi) Payment of any compensation adjudicated by any court tribunal to any person for any information displayed on the label.

Yours faithfully,

सौरभ डिड्डी/Saurabh Diddi  
 ऊर्जा दक्षता ब्यूरो  
 Bureau of Energy Efficiency  
 नई दिल्ली/New Delhi  
 Energy Economist

14/5/15



# ऊर्जा दक्षता ब्यूरो

(भारत सरकार, विद्युत मंत्रालय)

## BUREAU OF ENERGY EFFICIENCY

(Government of India, Ministry of Power)

No:- BEE/S&L/PEP/SP01/0195/16 **17923**

Date: **29/12/2016**

To,  
MR DIPAKBHAI VALJIBHAI RAMANI (PROPRIETOR)  
Penguin Pumps  
#4 SAMRAT INDUSTRIAL AREA, BEHIND BAN LAB, GONDAL ROAD, RAJKOT-360004, GUJARAT  
Rajkot  
Gujarat  
RAJKOT -360004  
Mobile No - 9374123388  
Phone No - 0281- 2363838  
Email : info@penguinpumps.in

**Subject :- Bureau Of Energy Efficiency Voluntary Scheme for Energy Efficiency labelling ,May 2006.,  
Authorization To use The Label.**

Dear Sir,

1. With Reference to your application received to BEE Office for participation in Bureau Of Energy Efficiency Voluntary Scheme For energy efficiency Labelling May 2006 scheme. The Bureau here by authorizes you to use the BEE Label strictly in accordance with the provision of scheme subject to time payment of prescribed fees. The competent authority has authorized usage of label from **13 December 2016** . The permission shall be valid from **13 December 2016 to 12 December 2019**.

2. This authorization carries the rights and obligations stipulated in the scheme. In pursuance of obligation, you shall pay in due manner and time the scheduled labelling fee as set out in the scheme. The Bureau shall at any time During the operation of the scheme ,decide to mean , revise ,modify or terminate the scheme by giving three month prior notice and you will be bound to comply with such amendment ,revision ,modification within such period , as may be prescribed by the Bureau.

3. During the tenure of scheme, for particular model / equipment, if there are any changes in energy efficiency of such model / equipment or any other information specified on the label, then you will be bound to submit a fresh application, which application shall be freshly processed and approved, if deemed Fit, in accordance with provisions of the scheme.

4. The Star Label declared by you for the following Models of **Submersible Pump Set** given as under would be check tested by BEE from time to time.

User of label : Penguin Pumps  
Equipment : Submersible Pump Set  
Brand / Make : PENGUIN

Sl. No	Application No	Model No.	Type	Motor Rating (Kw)	No of Stages	Head (meters)	Discharge (lps)	Declared Overall Efficiency (%)	Recommended Star Label
1	70644	P6-2024	Wet Type	15.0	24	287	3	47.80	5
2	70643	P6-2016	Wet Type	15.0	16	190	4.90	53	5
3	70642	P6-1722	Wet Type	13.0	22	274	3	47.20	5
4	70641	P6-1714	Wet Type	13.0	14	168	4.90	52	5
5	70640	P6-1525	Wet Type	11.0	25	300	2.30	44	5
6	70638	P6-1518	Wet Type	11.0	18	225	3	47	5
7	70635	P6-1512	Wet Type	11.0	12	144	4.90	52	5
8	70634	P6-1510	Wet Type	11.0	10	118	6.50	53	5
9	70633	P6-1224	Wet Type	9.3	24	264	2	41.50	5
10	70631	P6-1220	Wet Type	9.3	20	240	2.30	44	5
11	70630	P6-1216	Wet Type	9.3	16	198	3	46	5
12	70629	P6-1210	Wet Type	9.3	10	120	4.90	50.50	5
13	70627	P6-1208	Wet Type	9.3	8	94	6.50	52.50	5
14	70626	P6-1020	Wet Type	7.5	20	220	2	40.90	5
15	70625	P6-1016	Wet Type	7.5	16	192	2.30	43	5
16	70624	P6-1012	Wet Type	7.5	12	150	3	46	5
17	70623	P6-1008	Wet Type	7.5	8	96	4.90	50	5
18	70622	P6-1007	Wet Type	7.5	7	82	6.50	51.60	5
19	70621	P6-1005	Wet Type	7.5	5	55	8.30	50	3
20	70620	P6-7515	Wet Type	5.5	15	165	2	40.30	5
21	70618	P6-7513	Wet Type	5.5	13	155	2.30	43	5
22	70617	P6-7510	Wet Type	5.5	10	125	3	45	5
23	70616	P6-7506	Wet Type	5.5	6	72	4.90	49.20	5
24	70615	P65-7505	Wet Type	5.5	5	59	6.50	50.90	5
25	70605	P6-7504	Wet Type	5.5	4	44	8.30	49.10	3
26	70604	P6-6010	Wet Type	4.5	10	120	2.30	42	5
27	70603	P6-6008	Wet Type	4.5	8	100	3	43	5
28	70602	P6-6005	Wet Type	4.5	5	60	4.90	47.20	5
29	70601	P65-6004	Wet Type	4.5	4	47	6.50	48.80	5
30	70600	P6-3006	Wet Type	2.2	6	66	2	37	5
31	70599	P6-6003	Wet Type	4.5	3	33	8.30	47.10	3
32	70598	P6-5010	Wet Type	3.7	10	110	2	37.60	5
33	70597	P6-5008	Wet Type	3.7	8	96	2.30	40	5
34	70596	P6-5006	Wet Type	3.7	6	72	2.80	41.70	5
35	70595	P6-5004	Wet Type	3.7	4	48	4.90	46.00	5
36	70594	P65-5003	Wet Type	3.7	3	35	6.50	47.33	5
37	70592	P6-2020	Wet Type	15.0	20	240	3.50	50	5
38	70591	P6-1718	Wet Type	13.0	18	216	3.50	49	5
39	70590	P6-1515	Wet Type	11.0	15	180	3.50	49	5
40	70585	P6-1212	Wet Type	9.3	12	144	3.50	49	5
41	70572	P6-1010	Wet Type	7.5	10	120	3.50	48	5
42	70566	P6-7508	Wet Type	5.5	8	96	3.50	47	5
43	70564	P6-6006	Wet Type	4.5	6	72	3.50	45	5


44	70563	P6-5005	Wet Type	3.7	5	60	3.50	44	5
45	70562	P6-3005	Wet Type	2.2	5	58	2.30	38.60	5
46	70556	P6-3004	Wet Type	2.2	4	48	2.80	41.10	5
47	70550	P6-3003	Wet Type	2.2	3	36	3.5	43	5

5. The unique label series code allotted to you for the equipment is BEE/PEP/0195/10 and should appear on the label as per the approved design.

6. You shall be solely liable for ensuring:

- (i) The accuracy of the information displayed on the label or any public claim for label level and quality of equipment.
- (ii) Usage of the label only for such equipment models for which the agreement has been entered with the Bureau.
- (iii) The model approved herein above cannot be sold without BEE label in the market.
- (iv) Strict compliance with Terms & conditions of scheme.
- (v) Strict compliances with the directions issued by the Bureau on implementation of the Scheme.
- (vi) Payment of any compensation adjudicated by any court tribunal to any person for any information displayed on the label.

Yours faithfully,

  
 साहसु डिडी / SAURABH DIDI  
 Energy Economist  
 ऊर्जा दक्षता ब्यूरो  
 Bureau of Energy Efficiency  
 नई दिल्ली / New Delhi-110066